

The Impact of Socio-Economic Factors on Maternal Health in Rural Africa

Alberta Jeanne N.

School of Applied Health Sciences Kampala International University Uganda

ABSTRACT

Maternal health was a critical indicator of societal well-being, reflecting the quality of healthcare systems and socio-economic conditions. In rural Africa, maternal health outcomes were alarmingly poor, with high maternal mortality rates persisting despite global efforts. This review explored the impact of socio-economic factors on maternal health in rural Africa, focusing on economic barriers, educational attainment, gender inequality, access to healthcare services, and social support networks. Economic barriers such as poverty and healthcare costs significantly limit access to essential maternal care. Educational attainment influences health literacy and the utilization of maternal healthcare services, with higher education levels correlating with better health outcomes. Gender inequality and entrenched cultural norms restrict women's autonomy and decision-making power, negatively affecting maternal health. Access to healthcare services in rural areas is severely constrained by geographic isolation, inadequate infrastructure, and resource limitations. Social support networks, including family, friends, community members, and traditional birth attendants, play a crucial role in maternal health by providing emotional, informational, and practical support. This review used a comprehensive analysis of existing literature to discuss these factors and propose solutions to improve maternal health outcomes in rural Africa. Strategies such as financial assistance programs, expanding educational opportunities, empowering women, improving healthcare infrastructure, and strengthening social support networks are essential for addressing these challenges. By implementing these targeted interventions, significant improvements in maternal health can be achieved, leading to healthier mothers and stronger communities in rural Africa.

Keywords: Maternal Health, Socio-Economic Factors, Rural Africa, Gender Inequality, Healthcare Access.

INTRODUCTION

Maternal health is a crucial indicator of the overall health and well-being of a society, reflecting the quality of healthcare systems and the socio-economic conditions within a region [1] [2, 3]. In rural Africa, maternal health outcomes are alarmingly poor, with maternal mortality rates among the highest in the world [4, 5]. Despite global efforts to improve maternal health, many women in rural African communities continue to face significant challenges that hinder their ability to receive adequate care during pregnancy, childbirth, and the postpartum period [6–8]. These challenges are deeply rooted in various socio-economic factors that interplay to exacerbate the situation. Economic barriers, including poverty and the high cost of healthcare services, limit women's access to necessary medical care [9, 10]. Educational attainment significantly influences health literacy and the utilization of maternal healthcare services. Gender inequality and entrenched cultural norms

restrict women's autonomy and decision-making power, further impacting their health outcomes [11–13]. Additionally, the lack of access to healthcare services in remote rural areas and the weak social support networks available to many women compound these issues [14–16]. Understanding the impact of these socio-economic factors is essential for devising effective interventions and policies to improve maternal health in rural Africa [17, 18]. This review aims to explore the intricate relationship between socio-economic conditions and maternal health, highlighting the major barriers and proposing potential solutions to address these challenges. By examining the economic, educational, gender-related, healthcare access, and social support aspects, this review seeks to provide a comprehensive overview of the socio-economic determinants of maternal health in rural African settings and suggest pathways for sustainable improvement.

ECONOMIC BARRIERS TO MATERNAL HEALTH IN RURAL AFRICA

Economic barriers are a significant impediment to improving maternal health in rural Africa. High poverty levels restrict access to essential healthcare services, as many families cannot afford the costs associated with prenatal, delivery, and postnatal care [19–21]. This financial strain is exacerbated by indirect costs such as transportation and the loss of income during healthcare visits. In rural areas, where healthcare facilities are often sparse and located at great distances, these costs can be prohibitive. The economic constraints faced by rural families often lead to delayed or inadequate maternal care, which increases the risk of complications and

mortality [22–24]. Women may delay seeking care until it is absolutely necessary, resulting in worse health outcomes. Additionally, the financial burden may force families to prioritize other expenses over maternal healthcare, further compromising the health of pregnant women. To address these economic barriers, several strategies can be effective [25]. By addressing these economic barriers through targeted interventions, access to quality maternal healthcare in rural Africa can be significantly improved, leading to better health outcomes for mothers and their children.

EDUCATIONAL ATTAINMENT AND MATERNAL HEALTH IN RURAL AFRICA

Educational attainment plays a critical role in shaping maternal health outcomes in rural Africa. Higher levels of education among women are associated with increased health literacy, which enhances their ability to make informed decisions about their health and utilize maternal healthcare services effectively [26]. Educated women are more likely to understand the importance of prenatal and postnatal care, adhere to medical advice, and seek timely intervention, all of which contribute to better maternal health outcomes. Conversely, lower educational levels are linked to poorer health literacy and less frequent use of maternal health services. Women with limited education may lack knowledge about the risks of pregnancy and the benefits of early and regular medical care, leading to higher rates of complications and mortality. Additionally, educational disparities often reflect broader socio-economic inequalities, which further compound barriers to accessing quality healthcare.

To improve maternal health through education, the following strategies are essential:

Expanding Educational Opportunities: Increasing access to quality education for girls and women in rural areas can improve health literacy and health-seeking behaviors.

Health Education Programs: Implementing targeted health education initiatives within communities can raise awareness about maternal health and encourage the use of healthcare services.

Community-Based Education: Engaging community leaders and educators to promote maternal health education can help address cultural and informational barriers.

By enhancing educational attainment and integrating health education into the curriculum, maternal health outcomes in rural Africa can be significantly improved, leading to healthier mothers and better overall community health [27, 28].

GENDER INEQUALITY AND MATERNAL HEALTH IN RURAL AFRICA

Gender inequality is a profound barrier to improving maternal health in rural Africa. Societal norms and cultural practices often restrict women's autonomy and decision-making power, limiting their ability to seek and receive appropriate maternal care [29, 30]. Women may face barriers such as gender-based violence, restricted mobility, and lack of control over financial resources, which can all adversely affect their health outcomes. In many rural communities, traditional gender roles prioritize men's decisions over women's health needs, leading to delays in seeking medical care or neglect of maternal health services [31, 32]. Additionally, gender-based violence can have severe physical and psychological effects, further complicating pregnancy and childbirth. Addressing gender inequality requires multifaceted approaches:

Empowerment Programs: Initiatives that focus on empowering women through education, economic opportunities, and legal rights can enhance their ability to make autonomous health decisions.

Engaging Men and Boys: Programs that involve men and boys in discussions about gender equality and maternal health can help shift cultural norms and support women's health needs.

Policy and Legal Reforms: Enforcing policies and laws that protect women's rights and promote gender equality can create a supportive environment for better maternal health.

By tackling gender inequality through these strategies, maternal health outcomes in rural Africa can improve, leading to healthier and more empowered women.

ACCESS TO HEALTHCARE SERVICES IN RURAL AFRICA

Access to healthcare services is a fundamental determinant of maternal health, yet it remains significantly constrained in rural Africa. Geographic isolation, inadequate infrastructure, and resource limitations create substantial barriers for women seeking maternal healthcare in these regions [6]. Rural areas in Africa often suffer from poor transportation networks and long distances to healthcare facilities. Women in remote villages may have to travel hours or even days to reach the nearest clinic or hospital [33, 34]. This geographic isolation is compounded by inadequate infrastructure, such as poorly maintained roads and lack of reliable transportation, which can delay or prevent timely access to care. Healthcare facilities in rural Africa are frequently under-resourced. They often lack essential medical supplies, equipment, and medications necessary for maternal care. Additionally, there is a significant shortage of trained healthcare professionals, including doctors, midwives, and nurses [35–37]. This scarcity of resources results in suboptimal care, longer waiting times, and higher risks during childbirth. Economic constraints further hinder access to healthcare services. The cost of care, including fees for medical consultations, medications, and transportation, can be prohibitively expensive for many families in rural areas. Without financial assistance or insurance schemes, many women forgo necessary prenatal and postnatal care, leading to increased maternal and infant morbidity and mortality. Cultural beliefs and practices also play a role in limiting access to healthcare. In some communities, traditional beliefs may discourage the use of modern medical services, favoring home births or reliance on traditional healers. Furthermore, societal norms may restrict women's mobility or decision-making power,

SOCIAL SUPPORT NETWORKS AND MATERNAL HEALTH IN RURAL AFRICA

Social support networks play a crucial role in maternal health outcomes, particularly in rural Africa, where formal healthcare services are often limited. These networks, comprising family, friends, community members, and traditional birth attendants, can provide emotional, informational, and practical support that significantly impacts maternal health [41]. Emotional support from family and friends during pregnancy and childbirth is vital for the well-being of expecting mothers. In rural African communities, close-knit family structures and community bonds often mean that women receive considerable emotional support, which can reduce stress and anxiety, positively influencing maternal health [42, 43]. However, in some cases, traditional gender roles and societal expectations may limit the extent of this support,

preventing them from seeking care independently [30, 38, 39]. Addressing these barriers requires comprehensive and multi-faceted strategies:

- i. **Infrastructure Development:** Investing in transportation infrastructure, such as building and maintaining roads and providing reliable transport services, can improve physical access to healthcare facilities.
- ii. **Mobile Health Clinics:** Implementing mobile health clinics can bring essential maternal healthcare services directly to remote and underserved communities, reducing the need for long-distance travel.
- iii. **Training and Retaining Healthcare Workers:** Expanding training programs for healthcare professionals and incentivizing their deployment to rural areas can address the shortage of skilled personnel.
- iv. **Financial Assistance Programs:** Introducing subsidies, vouchers, or community-based health insurance schemes can alleviate the financial burden on families and make healthcare more affordable.
- v. **Community Engagement and Education:** Engaging community leaders and implementing health education programs can promote the importance of maternal healthcare and address cultural barriers.

By enhancing access to healthcare services through these targeted interventions, maternal health outcomes in rural Africa can be significantly improved, leading to lower maternal mortality rates and healthier communities [40, 40].

particularly if the mother faces stigmatization or domestic issues. Access to accurate health information is critical for making informed decisions about maternal care. Social support networks can be valuable sources of information on pregnancy, childbirth, and postnatal care [12]. Elders and experienced mothers in the community often share knowledge and advice, which can help expectant mothers navigate their pregnancies. Nonetheless, misinformation and reliance on traditional practices that may not align with modern medical advice can sometimes lead to adverse health outcomes [44, 45]. Practical support includes help with daily tasks, financial assistance, and accompaniment to healthcare appointments. In rural Africa, women often rely on their social networks for practical support due to the limited availability of formal

healthcare services. Family members and neighbors may assist with chores, provide transportation to distant healthcare facilities, or offer financial help for medical expenses. This support is crucial in alleviating some of the economic and logistical barriers to accessing maternal healthcare. Traditional birth attendants (TBAs) are a vital part of social support networks in many rural African communities [46-49]. They provide care and assistance during pregnancy and childbirth, often in settings where access to trained medical professionals is limited. While TBAs play an essential role in supporting maternal health, their

practices may sometimes lack the medical training required to handle complications, highlighting the need for integrating TBAs with formal healthcare systems through training and collaboration. Community-based organizations and women's groups also contribute to social support networks by advocating for maternal health, providing education, and organizing collective resources. These organizations can empower women by raising awareness about maternal health issues, promoting gender equality, and facilitating access to healthcare services [50].

Challenges

Despite the benefits of social support networks, several challenges persist:

Resource Limitations: Social networks in impoverished rural areas may also be resource-constrained, limiting their ability to provide adequate support.

Cultural Barriers: Deeply rooted cultural practices and gender norms can restrict women's access to necessary support and healthcare.

Lack of Integration with Formal Healthcare: Informal support systems often operate independently of formal healthcare services, which can result in gaps in care [27, 51].

Solutions

To enhance the effectiveness of social support networks in improving maternal health, several strategies can be implemented:

Education and Training: Providing education and training for TBAs and community health workers can ensure that they offer safe and effective care.

Strengthening Community Programs: Supporting community-based organizations with resources and training can enhance their capacity to support maternal health.

Integrating Social Support with Healthcare Systems: Encouraging collaboration between social

support networks and formal healthcare providers can improve the continuum of care for expectant mothers.

Promoting Gender Equality: Addressing gender norms and empowering women through education and economic opportunities can enhance their ability to seek and receive support.

By recognizing and strengthening the role of social support networks, maternal health outcomes in rural Africa can be significantly improved, leading to healthier mothers and stronger communities [52].

REFERENCES

1. S, J., S, P.: Examining socioeconomic factors influencing maternal health in pregnancy. *Journal of Human Behavior in the Social Environment*. 0, 1–19. <https://doi.org/10.1080/10911359.2024.2310272>
2. Sajedinejad, S., Majdzadeh, R., Vedadhir, A., Tabatabaei, M.G., Mohammad, K.: Maternal mortality: a cross-sectional study in global health. *Global Health*. 11, 4 (2015). <https://doi.org/10.1186/s12992-015-0087-y>
3. Crear-Perry, J., Correa-de-Araujo, R., Lewis Johnson, T., McLemore, M.R., Neilson, E., Wallace, M.: Social and Structural Determinants of Health Inequities in Maternal Health. *J Womens Health (Larchmt)*. 30, 230–235(2021). <https://doi.org/10.1089/jwh.2020.8882>
4. Ajegbile, M.L.: Closing the gap in maternal health access and quality through targeted investments in low-resource settings. *Journal of Global Health Reports*. 7, e2023070 (2023). <https://doi.org/10.29392/001c.88917>
5. Ope, B.W.: Reducing maternal mortality in Nigeria: addressing maternal health services' perception and experience. *Journal of Global Health Reports*. 4, e2020028 (2020). <https://doi.org/10.29392/001c.12733>
6. Dahab, R., Sakellariou, D.: Barriers to Accessing Maternal Care in Low Income Countries in Africa: A Systematic Review. *Int J Environ Res Public Health*. 17, 4292 (2020). <https://doi.org/10.3390/ijerph17124292>
7. Souza, J.P., Day, L.T., Rezende-Gomes, A.C., Zhang, J., Mori, R., Baguiya, A., Jayaratne, K., Osoti, A., Vogel, J.P., Campbell, O., Mugerwa, K.Y., Lumbiganon, P., Tunçalp, Ö., Cresswell, J., Say, L., Moran, A.C., Oladapo, O.T.: A global analysis of the determinants of maternal health and transitions in maternal mortality. *The Lancet Global Health*. 12, e306–e316 (2024).

8. Sumankuuro, J., Mahama, M.Y., Crockett, J., Wang, S., Young, J.: Narratives on why pregnant women delay seeking maternal health care during delivery and obstetric complications in rural Ghana. *BMC Pregnancy and Childbirth*. 19, 260 (2019). <https://doi.org/10.1186/s12884-019-2414-4>
9. 4 barriers to health equity - and how to overcome them, <https://www.weforum.org/agenda/2023/05/growth-summit-2023-health-equity-data-worker-shortages/>
10. Social determinants and the health of Indigenous peoples in Australia | Australian Human Rights Commission, <https://humanrights.gov.au/about/news/speeches/social-determinants-and-health-indigenous-peoples-australia>
11. Amwonya, D., Kigosa, N., Kizza, J.: Female education and maternal health care utilization: evidence from Uganda. *Reproductive Health*. 19, 142 (2022). <https://doi.org/10.1186/s12978-022-01432-8>
12. Kalindi, A.M., Houle, B., Smyth, B.M., Chisumpa, V.H.: Gender inequities in women's access to maternal health care utilisation in Zambia: a qualitative analysis. *BMC Pregnancy and Childbirth*. 23, (2023). <https://doi.org/10.1186/s12884-023-06078-3>
13. Shibeshi, K., Lemu, Y., Gebretsadik, L., Gebretsadik, A., Morankar, S.: Gender-based roles, psychosocial variation, and power relations during delivery and postnatal care: a qualitative case study in rural Ethiopia. *Front Glob Womens Health*. 4, 1155064 (2023). <https://doi.org/10.3389/fgwh.2023.1155064>
14. Aminzadeh-Gohari, S., Feichtinger, R.G., Vidali, S., Locker, F., Rutherford, T., O'Donnell, M., Stöger-Kleiber, A., Mayr, J.A., Sperl, W., Kofler, B.: A ketogenic diet supplemented with medium-chain triglycerides enhances the anti-tumor and anti-angiogenic efficacy of chemotherapy on neuroblastoma xenografts in a CD1-nu mouse model. *Oncotarget*. 8, 64728–64744 (2017). <https://doi.org/10.18632/oncotarget.20041>
15. Zimmermann, K., Carnahan, L., Paulsey, E., Molina, Y.: Healthcare eligibility and availability and healthcare reform: Are we addressing rural women's barriers to accessing care? *J Health Care Poor Underserved*. 27, 204–219 (2016). <https://doi.org/10.1353/hpu.2016.0177>
16. Chinyakata, R., Roman, N.V., Msiza, F.B.: Stakeholders' Perspectives on the Barriers to Accessing Health Care Services in Rural Settings: A Human Capabilities Approach. <https://doi.org/10.2174/1874944502114010336>
17. Abraham, J.M., Melendez-Torres, G.: A realist review of interventions targeting maternal health in low- and middle-income countries. *Womens Health (Lond)*. 19, 17455057231205687 (2023). <https://doi.org/10.1177/17455057231205687>
18. Habonimana, D., Batura, N.: Empirical analysis of socio-economic determinants of maternal health services utilisation in Burundi. *BMC Pregnancy Childbirth*. 21, 684 (2021). <https://doi.org/10.1186/s12884-021-04162-0>
19. Nambile Cumber, S., Atuhaire, C., Namuli, V., Bogren, M., Elden, H.: Barriers and strategies needed to improve maternal health services among pregnant adolescents in Uganda: a qualitative study. *Global Health Action*. 15, 2067397 (2022). <https://doi.org/10.1080/16549716.2022.2067397>
20. Kalu-Umeh, N.N., Sambo, M.N., Idris, S.H., Kurfi, A.M.: Costs and Patterns of Financing Maternal Health Care Services in Rural Communities in Northern Nigeria: Evidence for Designing National Fee Exemption Policy. *Int J MCH AIDS*. 2, 163–172 (2013)
21. Grand-Guillaume-Perrenoud, J.A., Origlia, P., Cignacco, E.: Barriers and facilitators of maternal healthcare utilisation in the perinatal period among women with social disadvantage: A theory-guided systematic review. *Midwifery*. 105, 103237 (2022). <https://doi.org/10.1016/j.midw.2021.103237>
22. Jang, S.Y., Seon, J.Y., Oh, I.-H.: Influencing Factors of Transportation Costs Regarding Healthcare Service Utilization in Korea. *J Korean Med Sci*. 35, e290 (2020). <https://doi.org/10.3346/jkms.2020.35.e290>
23. Kornelsen, J., Khowaja, A.R., Av-Gay, G., Sullivan, E., Parajulee, A., Dunnebacke, M., Egan, D., Balas, M., Williamson, P.: The rural tax: comprehensive out-of-pocket costs associated with patient travel in British Columbia. *BMC Health Serv Res*. 21, 854 (2021). <https://doi.org/10.1186/s12913-021-06833-2>
24. Kaiser, N., Barstow, C.K.: Rural Transportation Infrastructure in Low- and Middle-Income Countries: A Review of Impacts, Implications, and Interventions. *Sustainability*. 14, 2149 (2022). <https://doi.org/10.3390/su14042149>

25. Lassi, Z.S., Middleton, P., Bhutta, Z.A., Crowther, C.: Health care seeking for maternal and newborn illnesses in low- and middle-income countries: a systematic review of observational and qualitative studies. *F1000Res.* 8, 200 (2019). <https://doi.org/10.12688/f1000research.17828.1>
26. Morgan, L., Stanton, M.E., Higgs, E.S., Balster, R.L., Bellows, B.W., Brandes, N., Comfort, A.B., Eichler, R., Glassman, A., Hatt, L.E., Conlon, C.M., Koblinksky, M.: Financial Incentives and Maternal Health: Where Do We Go from Here? *J Health Popul Nutr.* 31, S8–S22 (2013)
27. le Roux, K.W., Almirol, E., Rezvan, P.H., le Roux, I.M., Mbewu, N., Dippenaar, E., Stansert-Katzen, L., Baker, V., Tomlinson, M., Rotheram-Borus, M.J.: Community health workers impact on maternal and child health outcomes in rural South Africa – a non-randomized two-group comparison study. *BMC Public Health.* 20, 1404 (2020). <https://doi.org/10.1186/s12889-020-09468-w>
28. Gamberini, C., Angeli, F., Ambrosino, E.: Exploring solutions to improve antenatal care in resource-limited settings: an expert consultation. *BMC Pregnancy and Childbirth.* 22,449(2022). <https://doi.org/10.1186/s12884-022-04778-w>
29. Morgan, R., Tetui, M., Muhumuza Kananura, R., Ekirapa-Kiracho, E., George, A.S.: Gender dynamics affecting maternal health and health care access and use in Uganda. *Health Policy Plan.* 32, v13–v21 (2017). <https://doi.org/10.1093/heapol/czx011>
30. Omer, S., Zakar, R., Zakar, M.Z., Fischer, F.: The influence of social and cultural practices on maternal mortality: a qualitative study from South Punjab, Pakistan. *Reproductive Health.* 18, 97 (2021). <https://doi.org/10.1186/s12978-021-01151-6>
31. Mehra, D., Srivastava, S., Chandra, M., Srivastava, N., Laaksonen, M., Saarinen, H.E., Mehra, S.: Effect of physical mobility, decision making and economic empowerment on gender-based violence among married youth in India-SAWERA project. *BMC Public Health.* 23, 548 (2023). <https://doi.org/10.1186/s12889-023-15421-4>
32. Perrin, N., Marsh, M., Clough, A., Desgroppe, A., Yope Phanuel, C., Abdi, A., Kaburu, F., Heitmann, S., Yamashina, M., Ross, B., Read-Hamilton, S., Turner, R., Heise, L., Glass, N.: Social norms and beliefs about gender based violence scale: a measure for use with gender based violence prevention programs in low resource and humanitarian settings. *Conflict and Health.* 13, 6 (2019). <https://doi.org/10.1186/s13031-019-0189-x>
33. Syed, S.T., Gerber, B.S., Sharp, L.K.: Traveling Towards Disease: Transportation Barriers to Health Care Access. *J Community Health.* 38, 976–993(2013). <https://doi.org/10.1007/s10900-013-9681-1>
34. Dowhaniuk, N.: Exploring country-wide equitable government health care facility access in Uganda. *Int J Equity Health.* 20, 38 (2021). <https://doi.org/10.1186/s12939-020-01371-5>
35. Jaeger, F.N., Bechir, M., Harouna, M., Moto, D.D., Utzinger, J.: Challenges and opportunities for healthcare workers in a rural district of Chad. *BMC Health Services Research.* 18, 7 (2018). <https://doi.org/10.1186/s12913-017-2799-6>
36. Kolié, D., Van De Pas, R., Codjia, L., Zurn, P.: Increasing the availability of health workers in rural sub-Saharan Africa: a scoping review of rural pipeline programmes. *Hum Resour Health.* 21, 20 (2023). <https://doi.org/10.1186/s12960-023-00801-z>
37. Ahmat, A., Okoroafor, S.C., Kazanga, I., Asamani, J.A., Millogo, J.J.S., Illou, M.M.A., Mwinga, K., Nyoni, J.: The health workforce status in the WHO African Region: findings of a cross-sectional study. *BMJ Global Health.* 7, e008317(2022). <https://doi.org/10.1136/bmjgh-2021-008317>
38. Ngere, S.H., Akelo, V., Ondeng'e, K., Ridzon, R., Otieno, P., Nyanjom, M., Omore, R., Barr, B.A.T.: Traditional Medicine Beliefs and Practices among Caregivers of Children under Five Years—The Child Health and Mortality Prevention Surveillance (CHAMPS), Western Kenya: A qualitative study. *PLoS One.* 17, e0276735(2022). <https://doi.org/10.1371/journal.pone.0276735>
39. Ahmed, G.E.M., Ahmed, E.Y.M., Ahmed, A.E., Hemmeda, L., Birier, A.B., Abdelgadir, T., Hassan, H.M.A., Alfadul, E.S.A., Bakr, M., Sadig, E.: Prevalence and reasons to seek traditional healing methods among residents of two localities in North Kordofan State, Sudan 2022: A cross-sectional study. *Health Sci Rep.* 6, e1487(2023). <https://doi.org/10.1002/hsr2.1487>
40. Bossman, E., Johansen, M.A., Zanaboni, P.: mHealth interventions to reduce maternal and child mortality in Sub-Saharan Africa and Southern Asia: A systematic literature review. *Front Glob Womens Health.* 3, 942146 (2022). <https://doi.org/10.3389/fgwh.2022.942146>

41. Adatar, P., Afaya, A., Baku, E.A., Salia, S.M., Asempah, A.: Perspective of Traditional Birth Attendants on Their Experiences and Roles in Maternal Health Care in Rural Areas of Northern Ghana. *Int J Reprod Med.* 2018, 2165627(2018). <https://doi.org/10.1155/2018/2165627>
42. Al-Mutawtah, M., Campbell, E., Kubis, H.-P., Erjavec, M.: Women's experiences of social support during pregnancy: a qualitative systematic review. *BMC Pregnancy Childbirth.* 23, 782(2023). <https://doi.org/10.1186/s12884-023-06089-0>
43. Al-Mutawtah, M., Campbell, E., Kubis, H.-P., Erjavec, M.: Women's experiences of social support during pregnancy: a qualitative systematic review. *BMC Pregnancy and Childbirth.* 23, 782 (2023). <https://doi.org/10.1186/s12884-023-06089-0>
44. Delzer, M.E., Kkonde, A., McAdams, R.M.: Viewpoints of pregnant mothers and community health workers on antenatal care in Lweza village, Uganda. *PLoS One.* 16, e0246926(2021). <https://doi.org/10.1371/journal.pone.0246926>
45. Comfort, A.B., El Ayadi, A.M., Camlin, C.S., Tsai, A.C., Nalubwama, H., Byamugisha, J., Walker, D.M., Moody, J., Roberts, T., Senoga, U., Krezanoski, P.J., Harper, C.C.: The role of informational support from women's social networks on antenatal care initiation: qualitative evidence from pregnant women in Uganda. *BMC Pregnancy and Childbirth.* 22, 708 (2022). <https://doi.org/10.1186/s12884-022-05030-1>
46. Garces, A., McClure, E.M., Espinoza, L., Saleem, S., Figueroa, L., Bucher, S., Goldenberg, R.L.: Traditional Birth Attendants and Birth Outcomes in Low-Middle Income Countries: A Review. *Semin Perinatol.* 43, 247–251 (2019). <https://doi.org/10.1053/j.semperi.2019.03.013>
47. Obeagu, E. I., Obeagu, G. U., Ugwu, O. P. C. and Alum, E. U. Navigating Hemolysis in Expectant Mothers with Sick Cell Anemia: Best Practices and Challenges. *IAA Journal of Applied Sciences.* 2024; 11(1):30-39. <https://doi.org/10.59298/IAAJAS/2024/4.78.99.11>
48. Alum, E. U., Ugwu, O. P. C., Obeagu, E. I., Orji, O. U., Edwin, N., Okon, M.B. Religious Leaders as Advocates for Promoting Exclusive Breastfeeding in East Africa. *International Journal of Innovative and Applied Research.* 2023; 11(12):10-15. ArticleDOI: 10.58538/IJAR/2056 DOI URL: <http://dx.doi.org/10.58538/IJAR/2056>
49. Alum, E. U., Ugwu, O. P. C., Obeagu, E. I., Aja, P. M., Ugwu, C. N., Uti, D. E., Samson, A. O., and Akinloye, D. I. Nutritional Requirements During Pregnancy: A Comprehensive Overview. *International Journal of Innovative and Applied Research.* 2023; 11(12):26-34. Article DOI: 10.58538/IJAR/2058 DOI URL: <http://dx.doi.org/10.58538/IJAR/2058>
50. Lwamba, E., Shisler, S., Ridlehoover, W., Kupfer, M., Tshabalala, N., Nduku, P., Langer, L., Grant, S., Sonnenfeld, A., Anda, D., Eysers, J., Snilstveit, B.: Strengthening women's empowerment and gender equality in fragile contexts towards peaceful and inclusive societies: A systematic review and meta-analysis. *Campbell Syst Rev.* 18, e1214 (2022). <https://doi.org/10.1002/cl2.1214>
51. Adam, R., Njogu, L.: A review of gender inequality and women's empowerment in aquaculture using the reach-benefit-empower-transform framework approach: A case study of Nigeria. *Front. Aquac.* 1, (2023). <https://doi.org/10.3389/faq.2022.1052097>
52. Elmusharaf, K., Byrne, E., O'Donovan, D.: Strategies to increase demand for maternal health services in resource-limited settings: challenges to be addressed. *BMC Public Health.* 15, 870(2015). <https://doi.org/10.1186/s12889-015-2222-3>

CITE AS: Alberta Jeanne N. (2024). The Impact of Socio-Economic Factors on Maternal Health in Rural Africa. INOSR APPLIED SCIENCES 12(3):29-35. <https://doi.org/10.59298/INOSRAS/2024/12.3.2935>